QTY -041 ITEM P/N **DESCRIPTION VENT MANIFOLD ASSEMBLY** D4653-041 D4653-3 COLLAR D4653-045 FITTING ASSEMBLY A/R LUBRICANT MOLKOYE 55 O-RING GREASE

8 (2)

**D4653-041 VENT MANIFOLD ASSEMBLY** 

С

**NEW ISSUE** Α 12.07.25 REV. DESCRIPTION DATE DESIGN DART AEROSPACE LTD

DRAWN HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. A D4653 MFG. APPR. SHEET 1 OF 6 **APPROVED VENT MANIFOLD ASSY** DE APPR.

DATE 12.07.25

COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

1) MATERIAL: N/A


3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1

7) WEIGHT: 0.35 lbs

8) APPLY A LAYER OF MOLYKOTE 55 0-RING GREASE TO O-RING PRIOR TO INSTALLING D4653-045

3

QTY -045 ITEM DESCRIPTION P/N D4653-045 FITTING ASSEMBLY D4653-7 LARGE FITTING 2 D4653-9 SMALL FITTING 3 D4654-3 O-RING




**D4653-045 FITTING ASSEMBLY** 


NOTES:
1) MATERIAL: N/A
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A

6) IDENTIFICATION: N/A 7) WEIGHT: 0.06 lbs


8) WELD PER QSI 004 9) CHEMICAL CONVERSION COAT PRIOR TO INSTALLING O-RING

DESIGN	1 7	DART AEROSPACE LTD		
DRAWN		HAWKESBURY, ONTARIO, CANADA		
CHECKED	SE.	DRAWING NO.	REV. A	
MFG. APPR.	45	D4653	SHEET 2 OF 6	
APPROVED	N.P.	TITLE	SCALE	
DE APPR.	#	VENT MANIFOLD ASSY	NTS	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPR	COPYRIGHT © 2012 BY DART AEROSPACE LTD  S DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  DIT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	






- Ø0.807<sup>+0.000</sup> -0.001  $\emptyset$  0.547



**D4653-9 SMALL FITTING** 



D

С

NOTES:
1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6R 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.02 lbs

С

Α

DESIGN	1	DART AEROSPACE LTD	
DRAWN	B	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	All S	D4653	SHEET 5 OF 6
APPROVED	No	TITLE	SCALE
DE APPR.	_//_	VENT MANIFOLD ASSY	NTS
DATE 12.07.25		COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OF COPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	

8

